

UDC: 616-001-617.55-07-089

TACTICS OF CONSERVATIVE TREATMENT OF SPLEEN INJURIES IN CLOSED INJURIES OF THE ABDOMINAL CAVITY

Umedov Khushvaqt Alisherovich

Teacher of the Department of Surgical Diseases №. 2.

Samarkand State Medical University

Samarkand branch of RNCMP

Annatation: *The spleen has a number of important functions, the main of which are participation in hematopoiesis, the body's immune status, and an important role in the hemostasis system. In particular, after splenectomy, there is a change in the main indicators of the vascular-platelet hemostasis link: an increase in the number of platelets and their functional activity, including adhesive ability, the reaction of the release of platelet factors is disturbed, and the retraction index decreases. Changes can also be traced in the coagulation link of the hemostasis system: there is a shortening of the activated partial thromboplastin time, an increase in the concentration of fibrinogen, and inhibition of fibrinolysis. All this leads to the development of thrombotic complications. Under our supervision there were 35 victims with damage to the spleen with a combined injury of the abdomen, who underwent conservative hemostatic therapy. The terms of hospitalization of patients with spleen injury from the moment of injury: up to 1 hour - 18 (51,4%), from 1 to 3 hours - 17 (48,6%) victims. They were combined with a skull injury in 11 (31,4%), cases, chest - in 14 (40,0%), pelvis and extremities - in 10 (28,6%) cases. Of these, there were 27 (77,1%) men, women - 8 (22,9%), the average age was 29.5 ± 1.5 years. The causes of concomitant spleen injury were: falling from a height - 18 (52,0%) patients, car injury - in 17 (48,0%) patients.*

The main criterion for choosing conservative treatment of patients was the presence of stable hemodynamics. All patients at admission, in addition to the clinical examination, underwent ultrasound every 6-8 hours in dynamics, multislice computed tomography (MSCT) of the abdominal cavity, a plain radiograph of the abdominal cavity and other anatomical regions by localization, a general blood and urine test, and a coagulogram.

Relevance. The spleen has a number of important functions, the main of which are participation in hematopoiesis, the body's immune status, and an important role in the hemostasis system [1,2,5]. In particular, after splenectomy, there is a change in the main indicators of the vascular-platelet

hemostasis link: an increase in the number of platelets and their functional activity, including adhesive ability, the reaction of the release of platelet factors is disturbed, and the retraction index decreases [3,4,7]. Changes can also be traced in the coagulation link of the hemostasis system: there is a shortening of the activated partial thromboplastin time, an increase in the concentration of fibrinogen, and inhibition of fibrinolysis. All this leads to the development of thrombotic complications [6,8,9,11].

The participation of the spleen in the immune status of the body has been proven. The spleen belongs to the peripheral lymphoid organs [10,12,14]. It concentrates suppressor, helper lymphocytes and part of effector cells, as well as the process of active antibody formation and production of humoral mediators of immunity [13,15,17]. The spleen contains approximately 35% T-lymphocytes and about 65% B-lymphocytes [16,18,20]. Both stages of differentiation of antibody-forming cells from bone marrow precursors take place in it, while for T-lymphocytes, the antigen-independent stage of differentiation from bone marrow precursors occurs in the thymus, and the antigen-dependent stage occurs in the spleen [19,21,22]. The complex structure of the lymphatic follicles of the spleen, including thymus-dependent, thymus-independent and macrophage elements, creates favorable conditions in the body for cell cooperation in the immune response [23,24,25]. There is no doubt that the removal of the spleen leads to a change in the immune status of the body and the development of infectious complications, especially those caused by opportunistic microflora.

In addition, splenectomy leads to the development of severe purulent-septic complications, both in the immediate and late postoperative period. It is known that in the immediate postoperative period after splenectomy, the number of postoperative complications reaches 30% [26,29,30]. In this case, lethality is 16-30% [27,28,31].

In order to prevent the development of complications and preserve the main functions of the organ, various types of organ-preserving operations are currently proposed, if it is impossible to use them, autolien transplantation of fragments of the damaged spleen [32,33,36].

At present, with the development and improvement of laparoscopic techniques and imaging equipment, a new opportunity has appeared in the diagnosis and conservative treatment of spleen injuries. But the paucity of works in the periodical literature devoted to the study of non-surgical treatment of spleen injuries to preserve the organ urgently requires scientific research in this direction[34,37,38].

The purpose of the study. There was an improvement in the results of

complex treatment for spleen injuries with closed abdominal trauma.

Material and methods. Under our observation there were 25 patients with spleen injury due to combined abdominal trauma, who underwent conservative hemostatic therapy. The terms of hospitalization of patients with spleen injury from the moment of injury: up to 1 hour - 18 (51,4%), from 1 to 3 hours - 17 (48,6%) victims. They were combined with a skull injury in 11 (31.4%), cases, chest - in 14 (40,0%), pelvis and extremities - in 10 (28,6%) cases. Of these, there were 27 (77,1%) men, women - 8 (22,9%), the average age was 29.5 ± 1.5 years. The causes of concomitant spleen injury were: falling from a height - 18 (52,0%) patients, car injury - in 17 (48,0%) patients.

The main criterion for choosing conservative treatment of patients was the presence of stable hemodynamics. All patients at admission, in addition to the clinical examination, underwent ultrasound every 6-8 hours in dynamics, multislice computed tomography (MSCT) of the abdominal cavity, a plain radiograph of the abdominal cavity and other anatomical regions by localization, a general blood and urine test, and a coagulogram.

When looking for fluid during ultrasound, the lowest-lying areas of the abdomen were examined in all projections. The fluid was visualized as an anechoic zone. Small amounts of fluid were collected from women in the retrouterine space (in the space of Douglas), in men - in the hepatorenal recess (in the pocket of Morrison).

Subsequently, the tactics of management were determined depending on the severity of the patient's condition, the volume of hemoperitoneum, the intensity of blood loss (BCC), hemodynamic parameters (CVP, heart rate, diuresis).

Results. All patients with spleen injury upon admission to the hospital showed clear signs of intraperitoneal bleeding: abdominal pain, collapse, positive symptoms of Kerr, Eleker "Roly-Vstanki", Kulenkamph. In ultrasound examination, the volume of hemoperitoneum ranged from 200 to 350 ml in 20 patients, from 350 ml to 500 ml in 12, and more than 1200 ml in 3. The latter underwent blood removal by video laparoscopy with a favorable outcome.

All patients required transfusion of cryoprecipitate of the corresponding blood group, on average, 3.5 ± 0.3 doses, 21 patients - fresh frozen plasma, 350.0 ± 55.8 ml each patient and 14 patients - 250 ± 35.0 ml of donor erythrocyte mass. By the 7th day of treatment, ultrasound and MSCT revealed no free fluid in the abdominal cavity. As experience gained, we determined the criteria for conservative treatment: no signs of continued intraperitoneal bleeding; stable hemodynamic parameters (BP, CVP, heart rate) against the background of ongoing infusion and hemostatic therapy; the amount of blood poured into the

abdominal cavity up to 400-500 ml (<10% BCC); no signs of peritonitis and damage to other abdominal organs.

The methods of conservative adequate hemostasis used by us in spleen injuries were effective in 87,3% of cases. There were no complications and deaths due to the use of conservative therapy and video-laparoscopic technique.

Conclusions.

Non-surgical treatment of spleen injuries is a risky event and requires good equipment with visualization equipment in a medical institution, as well as the possibility of constant monitoring of the patient.

Therapeutic videolaparoscopy can become an alternative to laparotomy, which can reduce the incidence of postoperative complications.

LITERATURE:

1. Mustafakulov I. B. et al. Evaluaton of the effectiveness of multi-stage surgical tactics for liver damage // World journal of advance healthcare research. 2020, 4(3), 264-266.

2. Mustafakulov I. B. et al. Severe associated trauma to the abdomen diagnosis and treatment // European journal of pharmaceutical and medical research. 2020,7(6), 113-116

3. Mustafakulov I.B. et al. Aetiology and outcome of combined closed trauma of the abdomen according to the date of Samarkand hospital // Journal of Surgery, 2013; 1 (5): 73-76.

4. Mustafakulov I.B. et al. Intra-abdominal Hypertension at Combined Injuries of the Abdominal Organs//American Journal of Medicine and Medical Sciences 2019, 9(12): 499-502.

5. Mustafakulov I.B. et al. Same Different Surgical Treatment of Bladder Injuries in Abdominal Polytrauma // Saudi Journal of Medical and Pharmaceutical Sciences. Vol-2, Iss-3 (Mar, 2016): 59-61.

6. Abdurakhmanovich A. A., Akhtamkhon E., Alisherovich U. K. Pathogenesis, Clinic and Principles of Treatment of Burn Shock //Eurasian Research Bulletin. – 2022. – T. 9. – C. 20-25.

7. Abdurakhmanovich A. A., Furkatovich A. R. Methods of early surgical treatment of Burns //Web of Scientist: International Scientific Research Journal. – 2022. – T. 3. – №. 6. – C. 528-532.

8. Abdurakhmanovich A. A., Furkatovich A. R. Methods of early surgical treatment of Burns //Web of Scientist: International Scientific Research Journal. – 2022. – T. 3. – №. 6. – C. 528-532.

9. Abduraxmanovich A. A. et al. POSSIBILITIES OF APPLYING MINIMALLY INVASIVE TECHNOLOGIES IN TREATMENT OF SEVERE ACUTE PANCREATITIS //CENTRAL ASIAN JOURNAL OF MEDICAL AND NATURAL SCIENCES. – 2021. – Т. 2. – №. 3. – С. 246-249.
10. Avazov A. A. STRATEGIC ISSUES IN THE CONSTRUCTION OF NUCLEAR POWER PLANTS //Conference Zone. – 2022. – С. 202-203.
11. Avazov A. CLASSIFICATION OF FACTORS INFLUENCING THE EFFECTIVENESS OF PERSONNEL ACTIVITIES IN INDUSTRIAL ENTERPRISES //International Finance and Accounting. – 2019. – Т. 2019. – №. 5. – С. 17.
12. Erkinovich K. Y. METHODS OF EARLY SURGICAL TREATMENT OF BURNS //Central Asian Research Journal for Interdisciplinary Studies (CARJIS). – 2022. – Т. 2. – №. Special Issue 4. – С. 184-188.
13. Erkinovich K. Y. METHODS OF EARLY SURGICAL TREATMENT OF BURNS //Central Asian Research Journal for Interdisciplinary Studies (CARJIS). – 2022. – Т. 2. – №. Special Issue 4. – С. 184-188.
14. Gulamov O. M. et al. Modern methods of diagnosis and treatment of barrett esophagus //Doctor's herald. – 2020. – Т. 2. – С. 94.
15. Mukhammadiev M. et al. INDICATORS OF ORGAN DEFICIENCY DEVELOPMENT IN ACUTE PANCREATITIS //InterConf. – 2021. – С. 738-753.
16. Ruziboev S. A. et al. Results Of Treatment Of Acute Diffuse Purulent Peritonitis Using Laparostomy //The American Journal of Medical Sciences and Pharmaceutical Research. – 2020. – Т. 2. – №. 11. – С. 66-71.
17. Ruziboev S. et al. TREATMENT OF ACUTE ADHESIVE INTESTINAL OBSTRUCTION WITH MINI-INVASIVE METHODS //InterConf. – 2021. – С. 768-773.
18. Shakirov B. M., Avazov A. A., Umedov X. A. Peculiarities of hand burn treatment in the conditions of moist medium //ISJ Theoretical & Applied Science, 04 (108). – 2022. – С. 289-291.
19. Shakirov B. M., Avazov A. A., Umedov X. A. Peculiarities of hand burn treatment in the conditions of moist medium //ISJ Theoretical & Applied Science, 04 (108). – 2022. – С. 289-291.
20. АВАЗОВ А. А. и др. КУЙИШЛАРДА ЕРТА ХИРУРГИК ДАВОЛАШ УСУЛЛАРИ //ЖУРНАЛ БИМЕДИЦИНЫ И ПРАКТИКИ. – 2022. – Т. 7. – №. 4.
21. АВАЗОВ А. А. и др. КУЙИШЛАРДА ЕРТА ХИРУРГИК ДАВОЛАШ УСУЛЛАРИ //ЖУРНАЛ БИМЕДИЦИНЫ И ПРАКТИКИ. – 2022. – Т. 7. – №. 4.

22. АВАЗОВ А. А. и др. QO'SHMA SHIKASTLANISHLARDA QORIN BO'SHLIG'I A'ZOLARINING OG'IR DARAJADAGI SHIKASTLANISHLARINI DIAGNOSTIKA VA DAVOLASHDA HAL ETILMAGAN MUAMMOLLARI //ЖУРНАЛ БИМЕДИЦИНЫ И ПРАКТИКИ. – 2022. – Т. 7. – №. 3.

23. АВАЗОВ А. А. и др. QO'SHMA SHIKASTLANISHLARDA QORIN BO'SHLIG'I A'ZOLARINING OG'IR DARAJADAGI SHIKASTLANISHLARINI DIAGNOSTIKA VA DAVOLASHDA HAL ETILMAGAN MUAMMOLLARI //ЖУРНАЛ БИМЕДИЦИНЫ И ПРАКТИКИ. – 2022. – Т. 7. – №. 3.

24. Авазов А. А. и др. АЛЛОПЛАСТИЧЕСКАЯ ГЕРНИОПЛАСТИКА ПРИ УЩЕМЛЕННЫХ ВЕНТРАЛЬНЫХ ГРЫЖАХ //Молодежь и медицинская наука в XXI веке. – 2014. – С. 536-537.

25. Авазов А. А. и др. ПАТОГЕНЕЗ, КЛИНИКА, ПРИНЦИПЫ ЛЕЧЕНИЯ ОЖОГОВОГО ШОКА //Вестник науки и образования. – 2021. – №. 3-2 (106). – С. 99-102.

26. Авазов А. А., Джумагелдиев Ш. Ш., Исламов Н. К. ДИАГНОСТИКА РАЗЛИЧНЫХ ФОРМ ОСТРОГО ПАНКРЕАТИТА //Молодежь и медицинская наука в XXI веке. – 2014. – С. 535-536.

27. Авазов А. А., Хурсанов Ё. Э. У., Мухаммадиев М. Х. ВОЗМОЖНОСТЬ ПРИМЕНЕНИЯ ИНТЕГРАЛЬНОЙ ШКАЛЫ BISAP ДЛЯ ПРОГНОЗИРОВАНИЯ РАЗВИТИЯ ТЯЖЕЛОГО ОСТРОГО ПАНКРЕАТИТА //Research Focus. – 2022. – Т. 1. – №. 2. – С. 158-164.

28. Авазов А. А., Хурсанов Ё. Э. У., Шакиров Б. М. ҚЎЛНИНГ ЧУҚУР КУЙИШИНИ ДАВОЛАШ ТАКТИКАСИ //Research Focus. – 2022. – №. Special issue 1. – С. 35-42.

29. Авазов А. А., Хурсанов Ё. Э. У., Шакиров Б. М. ҚЎЛНИНГ ЧУҚУР КУЙИШИНИ ДАВОЛАШ ТАКТИКАСИ //Research Focus. – 2022. – №. Special issue 1. – С. 35-42.

30. Авазов А. А., Хурсанов Ё. Э. У., Шакиров Б. М. ҚЎЛНИНГ ЧУҚУР КУЙИШИНИ ДАВОЛАШ ТАКТИКАСИ //Research Focus. – 2022. – №. Special issue 1. – С. 35-42

33. Даминов Ф. А. и др. Особенности лечебного питания для ранней профилактики желудочнокишечных осложнений у обожженных //Журнал Неотложная хирургия им. ИИ Джанелидзе. – 2021. – №. S1. – С. 21-21.

34. Даминов Ф. А. и др. Синдром кишечной недостаточности и его коррекция у тяжелообожженных //Журнал Неотложная хирургия им. ИИ Джанелидзе. – 2021. – №. S1. – С. 20-21.

35. Даминов Ф. А., Карабаев Х. К., Хурсанов Ё. Э. ПРИНЦИПЫ МЕСТНОГО ЛЕЧЕНИЯ ОЖОГОВЫХ РАН У ТЯЖЕЛООБОЖЖЕННЫХ (Обзор литературы) //Research Focus. – 2022. – Т. 1. – №. 3. – С. 133-142.

36. Даминов Ф. А., Хурсанов Ё. Э., Карабаев Х. К. НАШ ОПЫТ ПРОФИЛАКТИКИ И ЛЕЧЕНИЯ ПОЛИОРГАННОЙ НЕДОСТАТОЧНОСТИ У ТЯЖЕЛООБОЖЖЕННЫХ //Research Focus. – 2022. – Т. 1. – №. 3. – С. 143-151.

37. Джаббаров Ш. Р., Хурсанов Ё. Э. У. STANDARDIZATION OF THE THERAPEUTIC DIAGNOSTIC APPROACH FOR COMBINED CLOSED INTESTINAL INJURY //Research Focus. – 2022. – Т. 1. – №. 3. – С. 120-132.

38. Джаббаров Ш. Р., Хурсанов Ё. Э. У. ПОСЛЕОПЕРАЦИОННОЙ ЛЕТАЛЬНОСТИ ПРИ ОСТРОМ ХОЛЕЦИСТИТЕ //Research Focus. – 2022. – Т. 1. – №. 3. – С. 152-161.

39. Карабаев Х. К. и др. Изучение частоты и видасердечнососудистой патологии у обожженных //Журнал Неотложная хирургия им. ИИ Джанелидзе. – 2021. – №. S1. – С. 28-29.

40. Курбонов Н. А., Ахмедов Р. Ф. MODERN APPROACHES TO THE TREATMENT OF DEEP BURNING PATIENTS //УЗБЕКСКИЙ МЕДИЦИНСКИЙ ЖУРНАЛ. – 2022. – Т. 3. – №. 2.

41. Мустафакулов И. Б. и др. INTESTINAL INJURIES IN COMBINED ABDOMINAL TRAUMA //УЗБЕКСКИЙ МЕДИЦИНСКИЙ ЖУРНАЛ. – 2021. – №. SPECIAL 1.

42. Мустафакулов И. Б. и др. OPTIMIZATION OF INTENSIVE THERAPY FOR BURN SHOCK //УЗБЕКСКИЙ МЕДИЦИНСКИЙ ЖУРНАЛ. – 2021. – №. SPECIAL 1.

43. МУСТАФАКУЛОВ И. Б. и др. QO'SHMA ABDOMINAL SHIKASTLANISHLARIDA" DEMAGE CONTROL" QO'YISH TAKTIKASI //ЖУРНАЛ БИОМЕДИЦИНЫ И ПРАКТИКИ. – 2022. – Т. 7. – №. 3.

44. Мустафакулов И. Б. и др. SURGICAL TACTICS IN CASE OF ISOLATED INJURIES OF SMALL AND LARGE INTESTINE //УЗБЕКСКИЙ МЕДИЦИНСКИЙ ЖУРНАЛ. – 2022. – Т. 3. – №. 2.

45. Мустафакулов И., Умедов Х. СОВРЕМЕННЫЕ ТАКТИЧЕСКИЕ ПОДХОДЫ В ЛЕЧЕНИИ ТРАВМАТИЧЕСКИХ ПОВРЕЖДЕНИЙ ПЕЧЕНИ //Журнал гепато-гастроэнтерологических исследований. – 2020. – Т. 1. – №. 2. – С. 48-51.

46. Мустафакулов И.Б., Тиялков А.Б., Карабаев Х.К., Мизамов Ф.О. Закрытая сочетанная травма живота. Мет. рекомендации. Самарканд – 2019

47. Мустафакулов И., Умедов Х. СИНДРОМ ВНУТРИБРЮШНОЙ ГИПЕРТЕНЗИИ ПРИ СОЧЕТАННЫХ АБДОМИНАЛЬНЫХ ТРАВМАХ. //Журнал гепато-гастроэнтерологических исследований. – 2020. – Т. 1. – №. 2. – С. 52-55.

48. Рузибоев С. А., Авазов А. А., Хурсанов Е. Э. СРАВНИТЕЛЬНЫЕ РЕЗУЛЬТАТЫ ЛЕЧЕНИЯ ПОСЛЕОПЕРАЦИОННЫХ И РЕЦИДИВНЫХ ГРЫЖ ПЕРЕДНЕЙ БРЮШНОЙ СТЕНКИ //Research Focus. – 2022. – Т. 1. – №. 2. – С. 184-191.

49. Рузибоев С. и др. ВОЗМОЖНОСТИ ПРИМЕНЕНИЯ МИНИИНВАЗИВНЫХ ТЕХНОЛОГИЙ В ЛЕЧЕНИИ ТЯЖЕЛОГО ОСТРОГО ПАНКРЕАТИТА //Журнал гепато-гастроэнтерологических исследований. – 2020. – Т. 1. – №. 2. – С. 61-64.

50. Саттаров Ш. Х., Рузобаев С. А., Хурсанов Ё. Э. ОПТИМИЗАЦИЯ ПУТИ КОРРЕКЦИИ ЭНДОТОКСИКОЗА ПРИ ОСТРОМ ПЕРИТОНИТЕ (ОБЗОР ЛИТЕРАТУРЫ) //Research Focus. – 2022. – Т. 1. – №. 2. – С. 144-150.

51. Саттаров Ш. Х., Рузобаев С. А., Хурсанов Ё. Э. РЕЗУЛЬТАТЫ ЛЕЧЕНИЯ ОСТРОГО РАЗЛИТОГО ГНОЙНОГО ПЕРИТОНИТА С ПРИМЕНЕНИЕМ ЛАПАРОСТОМИИ //Research Focus. – 2022. – Т. 1. – №. 2. – С. 238-242.

52. Усанов Ж. Р. У. и др. Возможности диагностики и лечения острого тяжелого панкреатита //Вестник науки и образования. – 2021. – №. 3-2 (106). – С. 103-106.

53. Хаджибаев А. М., Мустафакулов И. Б. Современное состояние и нерешенные проблемные вопросы диагностики и тактики лечения тяжелых повреждений живота при сочетанной травме //Вестник экстренной медицины. – 2011. – №. 4. – С. 77-81.

54. Хамроев Г. А., Хурсанов Ё. Э. ОРГАНСОХРАНЯЮЩАЯ ОПЕРАЦИЯ ПРИ МАССИВНОМ РАЗМОЗЖЕНИИ ЯИЧКА //Research Focus. – 2022. – Т. 1. – №. 3. – С. 185-194.

55. ХУРСАНОВ Я. Э. и др. ТАКТИКА ХИРУРГИЧЕСКОГО ЛЕЧЕНИЯ БОЛЬНЫХ С ГЛУБОКИМИ ОЖОГАМИ //ЖУРНАЛ БИОМЕДИЦИНЫ И ПРАКТИКИ. – 2022. – Т. 7. – №. 5.

56. Шакиров Б., Авазов А., Хурсанов Ё. COMPREHENSIVE TREATMENT OF PATIENTS WITH EXTENSIVE DEEP BURNS LOWER LIMBS //EurasianUnionScientists. – 2022. – С. 24-26.

57. Шакиров Б., Авазов А., Хурсанов Ё. COMPREHENSIVE TREATMENT OF PATIENTS WITH EXTENSIVE DEEP BURNS LOWER LIMBS //EurasianUnionScientists. – 2022. – С. 24-26.

58. Элмурадов Г. К., Шукуров Б. И. ВИДЕОЭНДОХИРУРГИЯ В ДИАГНОСТИКЕ И ЛЕЧЕНИИ РАЗРЫВОВ ДИАФРАГМЫ //THEORY AND ANALYTICAL ASPECTS OF RECENT RESEARCH. – 2022. – Т. 1. – №. 7. – С. 40-58.

59. Эльмуратов А., Хурсанов Ё. Э. У. ПОСТКОЛОНИАЛЬНАЯ/ДЕКОЛОНИАЛЬНАЯ КРИТИКА И ТЕОРИЯ МЕЖДУНАРОДНЫХ ОТНОШЕНИЙ //Research Focus. – 2022. – Т. 1. – №. 2. – С. 198-208.

60. Elmuradov G. O. K. et al. QORIN BO 'SHLIG 'I YOPIQ JARONATLARIDA SONOGRAFIYA VA VIDEOELAPAROSKOPIYANI QO'LLASH //Research Focus. – 2023. – Т. 2. – №. 1. – С. 173-180.

61. Ачилов М. Т. и др. ОЦЕНКА ЛЕЧЕБНОГО ПОЛИХИМИОТЕРАПИИ ПРИ РАКЕ МОЛОЧНОЙ ЖЕЛЕЗЫ //Research Focus. – 2023. – Т. 2. – №. 1. – С. 62-69.

62. Тухтаев Ж. К., Хурсанов Ё. Э. У. ДИФФУЗНЫЙ ТОКСИЧЕСКИЙ ЗОБ ЩИТОВИДНОЙ ЖЕЛЕЗЫ //Research Focus. – 2023. – Т. 2. – №. 1. – С. 20-31.

63. Шоназаров И. Ш., Мизамов Ф. О., Хурсанов Ё. Э. ДИАПЕВТИЧЕСКИЕ И РЕНТГЕНЭНДОБИЛИАРНЫЕ ВМЕШАТЕЛЬСТВА В КОРРЕКЦИИ ОСЛОЖНЕНИЙ ПОСЛЕ ХОЛЕЦИСТЭКТОМИИ //Research Focus. – 2023. – Т. 2. – №. 1. – С. 44-51.

64. Шоназаров И. Ш., Мизамов Ф. О., Хурсанов Ё. Э. ЭФФЕКТИВНОСТЬ ПРИОРИТЕТНОГО ИСПОЛЬЗОВАНИЯ МИНИИНВАЗИВНЫХ ВМЕШАТЕЛЬСТВ В ХИРУРГИЧЕСКОМ ЛЕЧЕНИИ ОСЛОЖНЕННЫХ ФОРМ ОСТРОГО ХОЛЕЦИСТИТА //Research Focus. – 2023. – Т. 2. – №. 1. – С. 36-43.